

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Nilfisk Auto Active_105301634_105301635_105301636

Product no.

105301634_105301635_105301636

REACH registration number

Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Chemicals for industrial purposes

Uses advised against

-

The full text of any mentioned and identified use categories are given in section 16

1.3. Details of the supplier of the safety data sheet

Company and address

Nilfisk A/S
Kornmarksvej 1
Brøndby
DK-2605
Tlf.: +45 43 23 40 50

Contact person

-

E-mail

-

SDS date

2016-12-21

SDS Version

1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Eye Dam. 1; H318

See full text of H-phrases in section 2.2.

2.2. Label elements

Hazard pictogram(s)**Signal word**

Danger

Hazard statement(s)

Causes serious eye damage. (H318)

Safety statement(s)

General

If medical advice is needed, have product container or label at hand. (P101).

**Prevention
Response**

Keep out of reach of children. (P102).
Wear eye protection. (P280).
Immediately call a POISON CENTER/doctor. (P310).
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338).

**Storage
Disposal**

-
-

Identity of the substances primarily responsible for the major health hazards

Tetrasodium, ethylenediaminetetraacetate, natrium-N-(2-carboxyethyl)-N-dodecyl-beta-alaninat

2.3. Other hazards

-

Additional labelling

-

Additional warnings

VOC

-

SECTION 3: Composition/information on ingredients

3.1/3.2. Substances/Mixtures

NAME:	Tetrasodium, ethylenediaminetetraacetate
IDENTIFICATION NOS.:	CAS-no: 64-02-8 EC-no: 200-573-9 Index-no: 607-428-00-2
CONTENT:	3-5%
CLP CLASSIFICATION:	Acute Tox. 4, Eye Dam. 1 H302, H318, H332
NAME:	paraffinolie, sulfochlorerede, forsæbede
IDENTIFICATION NOS.:	CAS-no: 68188-18-1 EC-no: 269-144-1
CONTENT:	1-3%
CLP CLASSIFICATION:	Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2 H302, H315, H319,
NAME:	natrium-N-(2-carboxyethyl)-N-dodecyl-beta-alaninat
IDENTIFICATION NOS.:	CAS-no: 14960-06-6 EC-no: 239-032-7
CONTENT:	1-3%
CLP CLASSIFICATION:	Skin Irrit. 2, Eye Dam. 1 H315, H318
NAME:	Trinatrurumcitrat, dihydrat
IDENTIFICATION NOS.:	CAS-no: 6132-04-3
CONTENT:	<1%
CLP CLASSIFICATION:	NA
NAME:	Fedtalkoholethoxylat
IDENTIFICATION NOS.:	CAS-no: 69011-36-5 EC-no: - REACH-no: 02-2119549526-31-0000
CONTENT:	<1%
CLP CLASSIFICATION:	Eye Dam. 1, Acute Tox. 4 H318, H302
NAME:	2-phosphonobutan-1,2,4-tricarboxylsyre
IDENTIFICATION NOS.:	CAS-no: 37971-36-1 EC-no: 253-733-5
CONTENT:	<1%
CLP CLASSIFICATION:	Met. Corr. 1, Eye Irrit. 2 H290, H319
NAME:	fragrance
IDENTIFICATION NOS.:	-
CONTENT:	<0.05%
CLP CLASSIFICATION:	NA
NAME:	Farve
IDENTIFICATION NOS.:	-
CONTENT:	<0.0015%
CLP CLASSIFICATION:	NA

(*) See full text of H-phrases in chapter 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

ATEmix(inhale, vapour) > 20

ATEmix(oral) > 2000

Eye Cat. 1 Sum = Sum(Ci/S(G)CLi) = 1,6544 - 2,4816

Skin Cat. 2 Sum = Sum(Ci/S(G)CLi) = 0,3248 - 0,4872

Detergent:

< 5%: EDTA AND SALTS THEREOF, ANIONIC SURFACTANTS, AMPHOTERIC SURFACTANTS, NON-IONIC SURFACTANTS, PERFUMES, COLORANT

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. The doctor can contact The National Poisons Information Service (dial 111, 24 h service). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Bring the injured person into fresh air. Make sure the injured person is continuously monitored. Prevent shock by keeping the injured person warm and calm. If breathing ceases, give mouth-to-mouth resuscitation. If unconscious, roll the injured person into recovery position. Call an ambulance.

Skin contact

Immediately remove contaminated clothing and shoes. Ensure that skin, which has been exposed to the material, is washed thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

Eye contact

Remove contact lenses. Flush eyes with plenty of water or salt water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing.

Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

Burns

Not applicable

4.2. Most important symptoms and effects, both acute and delayed

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous catabolic substances are produced. These are: Carbon oxides. Fire will result in dense black smoke. Exposure to combustion products may harm your health. Fire fighters should wear appropriate protection equipment. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances. Avoid inhalation of vapours from spilled material.

6.2. Environmental precautions

No specific requirements.

6.3. Methods and material for containment and cleaning up

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section on "Disposal considerations" in regard of handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, storage of tobacco, consumption and storage of food or liquids are not allowed in the workrooms. See section on 'Exposure controls/personal protection' for information on personal protection. Avoid direct contact with the product.

7.2. Conditions for safe storage, including any incompatibilities

Always store in containers of the same material as the original container. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Storage temperature

No data available.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

OEL

No substances are listed in The Control of Substances Hazardous to Health Regulations with an occupational exposure limit.

DNEL / PNEC

DNEL (paraffinolie, sulfochlorerede, forsæbede): 10 mg/m³
Exposure: Inhalation
Duration of Exposure: Long term – Local effects - Workers
DNEL (paraffinolie, sulfochlorerede, forsæbede): 17 mg/kg bw/dag
Exposure: Dermal
Duration of Exposure: Long term – Systemic effects - Workers
DNEL (paraffinolie, sulfochlorerede, forsæbede): 10 mg/kg bw/dag
Exposure: Dermal
Duration of Exposure: Long term – Systemic effects - General population

PNEC (paraffinolie, sulfochlorerede, forsæbede): 0,02 mg/kg
Exposure: Soil
PNEC (paraffinolie, sulfochlorerede, forsæbede): 8,1 mg/L
Exposure: Sewage Treatment Plant
PNEC (paraffinolie, sulfochlorerede, forsæbede): 0,17 mg/kg
Exposure: Freshwater sediment
PNEC (paraffinolie, sulfochlorerede, forsæbede): 0,017 mg/kg
Exposure: Marine water sediment
PNEC (paraffinolie, sulfochlorerede, forsæbede): 0,2 µg/L
Exposure: Marine water
PNEC (paraffinolie, sulfochlorerede, forsæbede): 20 µg/L
Exposure: Freshwater

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations

Observe general occupational hygiene standards.

Exposure scenarios

In the event exposure scenarios are appended to the safety data sheet, the operational conditions and risk management measures in these shall be complied with.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment



Generally

Use only CE marked protective equipment.

Respiratory Equipment

Recommended: S/SL. P2 . White

Skin protection

No specific requirements.

Hand protection

Recommended: Nitrile rubber. See the manufacturer's instructions.

Eye protection

Wear safety glasses with side shields.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	Liquid
Colour	Blue
Odour	Lemon like
pH	10,2
Viscosity (40°C)	No data available.
Density (g/cm ³)	1,045

Phase changes

Melting point (°C)	No data available.
Boiling point (°C)	No data available.
Vapour pressure	No data available.

Data on fire and explosion hazards

Flashpoint (°C)	No data available.
Ignition (°C)	No data available.
Self-ignition (°C)	No data available.
Explosion limits (Vol %)	No data available.

Solubility

Solubility in water	Soluble
n-octanol/water coefficient	No data available.

9.2. Other information

Solubility in fat (g/L)	No data available.
-------------------------	--------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under the conditions, noted in the section "Handling and storage".

10.3. Possibility of hazardous reactions

No special

10.4. Conditions to avoid

Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

Substance	Species	Test	Route of exposure	Result
2-phosphonobutan-1,2,4-tricarb...	Rat	LD50	Oral	> 6500 mg/kg
2-phosphonobutan-1,2,4-tricarb...	Rat	LD50	Dermal	> 4000 mg/kg
2-phosphonobutan-1,2,4-tricarb...	Rat	LD50	Oral	> 500 - 2000 mg/kg
2-phosphonobutan-1,2,4-tricarb...	Rat	LD50	Dermal	> 4000 mg/kg
Fedtalkoholethoxylat	Rat	LD50	Oral	1271 mg/kg
Fedtalkoholethoxylat	Rat	LD50	Dermal	> 5000 mg/kg
paraffinolier, sulfochlorerede...	Rat	LD50	Oral	> 2000 mg/kg
paraffinolier, sulfochlorerede...				
Tetrasodium, ethylenediaminete...				

Skin corrosion/irritation

No data available.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

No data available.

Germ cell mutagenicityData on substance: Fedtalkoholethoxylat
No adverse effect observed.**Carcinogenicity**Data on substance: Fedtalkoholethoxylat
No adverse effect observed.**Reproductive toxicity**Data on substance: Fedtalkoholethoxylat
No adverse effect observed.**STOT-single exposure**

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

No data available.

Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

SECTION 12: Ecological information**12.1. Toxicity**

Substance	Species	Test	Duration	Result
2-phosphonobutan-1,2,4-tricarb...	Fish	EC0	-	> 1000 mg/L
2-phosphonobutan-1,2,4-tricarb...	Daphnia	EC0	24 h	> 300 mg/L
2-phosphonobutan-1,2,4-tricarb...	Algae	EC0	72 h	1300 mg/L
2-phosphonobutan-1,2,4-tricarb...	Fish	LC50	96 h	10 - 100 mg/L
2-phosphonobutan-1,2,4-tricarb...	Daphnia	EC50	48 h	10 - 100 mg/L
2-phosphonobutan-1,2,4-tricarb...	Algae	EC50	72 h	10 - 100 mg/L
Fedtalkoholethoxylat	Daphnia	EC50	48 h	4,72 mg/L
Fedtalkoholethoxylat	Algae	IC50	72 h	246,89 mg/L
Fedtalkoholethoxylat	Fish	LC50	96 h	4,16 mg/L
paraffinolier, sulfochlorerede...	Fish	LC50	96 h	> 100 mg/l
paraffinolier, sulfochlorerede...	Daphnia	EC50	48 h	> 100 mg/l

-
14.6. Special precautions for user

-
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

No data available

(*) Packing group

(**) Marine pollutant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

People under the age of 18 shall not be exposed to this product cf. Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.

Demands for specific education

-

Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Sources

Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP).
EC regulation 1907/2006 (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H290 - May be corrosive to metals.

H302 - Harmful if swallowed.

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

H319 - Causes serious eye irritation.

H332 - Harmful if inhaled.

The full text of identified uses as mentioned in section 1

-

Other symbols mentioned in section 2

-

Other

In accordance with Regulation (EC) No. 1272/2008 (CLP) the evaluation of the classification of the mixture is based on:

The classification of the mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP)It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification. The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The safety data sheet is validated by

According to EC-Regulation 2015/830



MH

**Date of last essential change
(First cipher in SDS version)**

-

**Date of last minor change
(Last cipher in SDS version)**

-

ALPHAOMEGA. Licens nr.:3221182277, 6.2.0
www.chymeia.com